


**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently amended) A compound having the following Formula:



or a salt, hydrate, or complex thereof, wherein:

l and n are independently 0, 1, 2, 3, 4 or 5;

(l + n) is 2, 3, 4 or 5;

X is O or S;

R<sub>10</sub> is selected from the group consisting of hydrogen, hydroxy, C<sub>3-7</sub>cycloalkyloxy, acyloxy, carboxy, carbamoyl, acyl, amino, alkylamino, arylamino, acylamino, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, aryloxy, alkylcarbamoyl, arylcarbamoyl, alkyloxycarbonyl,

wherein the C<sub>1-5</sub>alkyl, aryl, C<sub>1-5</sub>alkoxy, aryloxy, alkylcarbamoyl, arylcarbamoyl or alkyloxycarbonyl is optionally substituted with one or more groups independently selected from the group consisting of carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, halogen, hydroxy, acyloxy, C<sub>1-5</sub>alkoxy, aryloxy, heteroaryloxy, nitro, amino, acylamino, alkylamino, arylamino, cyano, aryl, heteroaryl

Wherein the aryl or heteroaryl is optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub>alkyl or C<sub>1-5</sub>alkoxy, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, sulfonyl, alkylsulfonyl, arylsulfonyl,

sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydroxy, and halogen;

Ar is ~~aryl~~ **phenyl or naphthyl**,

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, trihalomethoxy, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, alkyloxycarbonyl, arylmethyloxycarbonyl, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryloxy


optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino,

and heteroaryl


optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino,

acylamino, alkylamino, hydroxyamino, amidino, guanidino, and  
 cyanoguanidino;


Z is:




or




wherein R<sub>1</sub> is:




or



or



or



p is 0, 1 or 2;

q is 0, 1 or 2;

R<sub>4</sub> and R<sub>4</sub>' are independently selected from the group consisting of hydrogen, halogen, C<sub>1-5</sub> alkyl, aryl, heteroaryl

wherein the aryl or heteroaryl is optionally substituted with one or more groups independently selected from the group consisting of hydrogen, hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

and COR<sub>9</sub>; wherein R<sub>9</sub> is hydroxy, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, amino, alkylamino or arylamino; R<sub>5</sub> is aryl or heteroaryl

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino,

and aryloxy

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide,

hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

R<sub>6</sub> is selected from the group consisting of hydrogen, hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino,

and aryloxy

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

R<sub>7</sub> and R<sub>8</sub> are independently selected from the group consisting of hydrogen, hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

Q, T, U, W and L are independently C; wherein adjacent atoms U-T, T-Q, U-W, W-L may form one or more double bonds;

R<sub>2</sub> and R<sub>3</sub> are independently selected from the group consisting of C<sub>1-8</sub> alkyl, C<sub>1-8</sub> alkenyl and C<sub>1-8</sub> alkynyl

optionally substituted with one or more groups independently selected from the group consisting of carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl,

alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, halogen, acyloxy, hydroxy, nitro, amino, acylamino, alkylamino, cyano, aryl

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy, wherein the alkyl or alkoxy may be optionally substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, aryloxy, arylmethyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen,

#### heteroaryl

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which may be optionally substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen,

#### C<sub>1-5</sub> alkoxy

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which may be optionally substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl,

isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen, arylmethyloxy

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which is optionally substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen,


C<sub>3-7</sub> cycloalkyl

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which is optionally substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen,

and heterocycle;

provided that none of R<sub>1</sub>, R<sub>2</sub>, and R<sub>3</sub> bond together;

further provided that Ar is not 2-hydroxy-5-methoxyphenyl, 2-hydroxy-5-(lower) alkoxyphenyl, pyrene, chrysene, or phenanthrene.



2. (Original) The compound according to claim 1, wherein Z is
3. (Original) The compound according to claim 2, wherein (l + n) is 2, 3, or 4.
4. (Original) The compound according to claim 3, wherein (l + n) is 2, or 3.
5. (Original) The compound according to claim 1, wherein X is O.
6. (Original) The compound according to claim 5, wherein R10 is hydrogen.
7. (Previously presented) The compound according to claim 6, wherein Ar is optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, trihalomethoxy, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, alkyloxycarbonyl, arylmethyloxycarbonyl, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl  
optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, and carboxy,  
and aryloxy  
optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, and carboxy;  
R<sub>5</sub> is aryl or heteroaryl  
optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio,



alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, and carboxy,

and aryloxy

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, and carboxy;

R<sub>6</sub> is selected from the group consisting of hydrogen, hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, and carboxy;

R<sub>7</sub> and R<sub>8</sub> are independently selected from the group consisting of hydrogen, hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, and carboxy.

8. (Original) The compound of claim 7, wherein R<sub>2</sub> is independently selected from the group consisting of C<sub>1-8</sub> alkyl, C<sub>1-8</sub> alkenyl and C<sub>1-8</sub> alkynyl,

substituted with one or more groups independently selected from the group consisting of carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, acyloxy, acylamino, aryl

substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which are substituted with carboxy or alkyloxycarbonyl, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, aryloxy, arylmethyloxy, acylamino, hydroxy, and halogen,

heteroaryl

substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which are substituted with carboxy or alkyloxycarbonyl, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, acylamino, hydroxy, and halogen,

C<sub>1-5</sub> alkoxy

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which may be optionally substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen,

arylmethyloxy

substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which are substituted with carboxy or alkyloxycarbonyl, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, acylamino, hydroxy, and halogen,


and C<sub>3-7</sub> cycloalkyl

substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which is substituted with carboxy or alkyloxycarbonyl, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl,

alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl,  
alkylsulfonamide, arylsulfonamide, and acylamino.

9. (Original) The compound of claim 8, wherein  $R_2$  is independently selected from the group consisting of  $C_{1-8}$  alkyl,  $C_{1-8}$  alkenyl and  $C_{1-8}$  alkynyl, substituted with one or more groups independently selected from the group consisting of carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, and acylamino.


10. (Original) The compound of claim 9, wherein  $R_2$  is independently selected from the group consisting of  $C_{1-8}$  alkyl,  $C_{1-8}$  alkenyl and  $C_{1-8}$  alkynyl, substituted with one or more groups independently selected from the group consisting of carboxy and alkyloxycarbonyl




11. (Original) The compound according to claim 1, wherein Z is
12. (Original) The compound according to claim 11, wherein  $(l + n)$  is 2, 3, or 4.
13. (Original) The compound according to claim 12, wherein  $(l + n)$  is 2, or 3.
14. (Original) The compound according to claim 13, wherein X is O.
15. (Original) The compound according to claim 14, wherein  $R_{10}$  is hydrogen.
16. (Original) The compound according to claim 15, wherein  $R_3$  is  $C_{1-8}$  alkyl optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl,  $C_{1-5}$  alkyl,  $C_{1-5}$  alkoxy, cyano, nitro, amino, and carboxy.

17. (Previously presented) A compound according to claim 6, wherein Ar is optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, alkoxycarbonyl, arylmethoxycarbonyl, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, and aryloxy optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;


Z is:




or




wherein R<sub>1</sub> is:




or



or



or



p is 0, 1 or 2;

q is 0, 1 or 2;

R<sub>4</sub> is selected from the group consisting of hydrogen, halogen, C<sub>1-5</sub> alkyl, aryl, heteroaryl wherein the aryl or heteroaryl is optionally substituted with one or more groups independently selected from the group of consisting of hydrogen, hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;  
 and COR<sub>9</sub>; wherein R<sub>9</sub> is hydroxy, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, amino, alkylamino or arylamino;  
 R<sub>5</sub> is aryl or heteroaryl

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino,

and aryloxy

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

R<sub>6</sub> is selected from the group consisting of hydrogen, hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio,

alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino,

and aryloxy

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

R<sub>7</sub> and R<sub>8</sub> are independently selected from the group consisting of hydrogen, hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

Q, T, U, W and L are independently C; wherein adjacent atoms U-T, T-Q, U-W, W-L may form one or more double bonds;

R<sub>2</sub> and R<sub>3</sub> are independently selected from the group consisting of C<sub>1-8</sub> alkyl, C<sub>1-8</sub> alkenyl and C<sub>1-8</sub> alkynyl

optionally substituted with one or more groups independently selected from the group consisting of carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, halogen, hydroxy, nitro, amino, acylamino, alkylamino, cyano, aryl

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy, wherein the alkyl or alkoxy may be optionally substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido,

arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen,

heteroaryl

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which may be optionally substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen,

arylmethyloxy

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which is optionally substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen,

C<sub>3-7</sub> cycloalkyl

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which is optionally substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl,



sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen, and heterocycle;  
provided that none of R<sub>1</sub>, R<sub>2</sub>, and R<sub>3</sub> bond together;  
further provided that Ar is not 2-hydroxy-5-methoxyphenyl.

18. (Previously presented) A compound according to claim 17, wherein Ar is optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, and aryloxy optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino.

19. (Original) The compound according to claim 1, wherein X is S.


20. (Original) The compound according to claim 19, wherein R10 is hydrogen.

21. (Previously presented) A compound according to claim 20, wherein Ar is optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, alkyloxycarbonyl, arylmethyloxycarbonyl, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl


optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, and aryloxy

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;


Z is:




or




wherein R<sub>1</sub> is:




or



or



or



p is 0, 1 or 2;

q is 0, 1 or 2;

R<sub>4</sub> is selected from the group consisting of hydrogen, halogen, C<sub>1-5</sub> alkyl, aryl, heteroaryl wherein the aryl or heteroaryl is optionally substituted with one or more groups independently selected from the group of consisting of hydrogen, hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide,

arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

and COR<sub>9</sub>; wherein R<sub>9</sub> is hydroxy, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, amino, alkylamino or arylamino;

R<sub>5</sub> is aryl or heteroaryl

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino,

and aryloxy

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

R<sub>6</sub> is selected from the group consisting of hydrogen, hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino,

and aryloxy

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

R<sub>7</sub> and R<sub>8</sub> are independently selected from the group consisting of hydrogen, hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

Q, T, U, W and L are independently C; wherein adjacent atoms U-T, T-Q, U-W, W-L may form one or more double bonds;

R<sub>2</sub> and R<sub>3</sub> are independently selected from the group consisting of C<sub>1-8</sub> alkyl, C<sub>1-8</sub> alkenyl and C<sub>1-8</sub> alkynyl

optionally substituted with one or more groups independently selected from the group consisting of carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, halogen, hydroxy, nitro, amino, acylamino, alkylamino, cyano, aryl

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy, wherein the alkyl or alkoxy

may be optionally substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen,

heteroaryl

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which may be optionally substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen,

arylmethyloxy

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which is optionally substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen,

C<sub>3-7</sub> cycloalkyl

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which is optionally substituted

with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen,

and heterocycle;

provided that none of R<sub>1</sub>, R<sub>2</sub>, and R<sub>3</sub> bond together;

further provided that Ar is not 2-hydroxy-5-methoxyphenyl.

22. (Currently amended) A compound according to claim 1, wherein R<sub>10</sub> is selected from the group consisting of hydroxy, C<sub>3-7</sub>cycloalkyloxy, acyloxy, carboxy, carbamoyl, acyl, amino, alkylamino, arylamino, acylamino, C<sub>1-5</sub>alkyl, aryl, C<sub>1-5</sub>alkoxy, aryloxy, alkylcarbamoyl, arylcarbamoyl, alkyloxycarbonyl,

wherein the C<sub>1-5</sub>alkyl, aryl, C<sub>1-5</sub>alkoxy, aryloxy, alkylcarbamoyl, arylcarbamoyl or alkyloxycarbonyl is optionally substituted with one or more groups independently selected from the group consisting of carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, halogen, hydroxy, acyloxy, C<sub>1-5</sub>alkoxy, aryloxy, heteroaryloxy, nitro, amino, acylamino, alkylamino, arylamino, cyano, aryl, heteroaryl

Wherein the aryl or heteroaryl is optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub>alkyl or C<sub>1-5</sub>alkoxy, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydroxy, and halogen;


Ar is **phenyl or naphthyl**

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, alkyloxycarbonyl, arylmethyloxycarbonyl, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl


optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, and aryloxy

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

Z is:




or




wherein R<sub>1</sub> is:







or



or



or



p is 0, 1 or 2;

q is 0, 1 or 2;

R<sub>4</sub> is selected from the group consisting of hydrogen, halogen, C<sub>1-5</sub> alkyl, aryl, heteroaryl wherein the aryl or heteroaryl is optionally substituted with one or more groups independently selected from the group of consisting of hydrogen, hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub>alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

and COR<sub>9</sub>; wherein R<sub>9</sub> is hydroxy, C<sub>1-5</sub>alkyl, C<sub>1-5</sub>alkoxy, amino, alkylamino or arylamino;

R<sub>5</sub> is aryl or heteroaryl

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino,

and aryloxy

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

R<sub>6</sub> is selected from the group consisting of hydrogen, hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino, aryl

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio,

alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, cyanoguanidino,

and aryloxy

optionally substituted with one or more groups independently selected from the group consisting of hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

R<sub>7</sub> and R<sub>8</sub> are independently selected from the group consisting of hydrogen, hydroxy, halogen, trihalomethyl, C<sub>1-5</sub> alkyl, C<sub>1-5</sub> alkoxy, cyano, nitro, amino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, acyl, acyloxy, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylthio, alkylsulfonamide, arylsulfonamide, hydrazino, acylamino, alkylamino, hydroxyamino, amidino, guanidino, and cyanoguanidino;

Q, T, U, W and L are independently C; wherein adjacent atoms U-T, T-Q, U-W, W-L may form one or more double bonds;

R<sub>2</sub> and R<sub>3</sub> are independently selected from the group consisting of C<sub>1-8</sub> alkyl, C<sub>1-8</sub> alkenyl and C<sub>1-8</sub> alkynyl

optionally substituted with one or more groups independently selected from the group consisting of carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio, halogen, hydroxy, nitro, amino, acylamino, alkylamino, cyano, aryl

optionally substituted with one or more groups independently selected from the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy, wherein the alkyl or alkoxy may be optionally substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl, alkylsulfonamido,

arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl, sulfamoyl,  
alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide, alkylthio,  
acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino, cyanoguanidino,  
hydroxy, and halogen,

heteroaryl

optionally substituted with one or more groups independently selected from  
the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which may be optionally  
substituted with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino,  
alkylamino, carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl,  
alkylsulfonylcarbamoyl, arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl,  
isoxazolyl, isothiazolyl, alkylsulfonamido, arylsulfonamido, sulfonyl,  
alkylsulfonyl, arylsulfonyl, sulfamoyl, alkylsulfamoyl, arylsulfamoyl,  
alkylsulfonamide, arylsulfonamide, alkylthio, acyl, acyloxy, hydrazino,  
hydroxyamino, amidino, guanidino, cyanoguanidino, hydroxy, and halogen,

arylmethyloxy

optionally substituted with one or more groups independently selected from  
the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which is optionally substituted  
with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino,  
carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl,  
arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl,  
alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl,  
sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide,  
alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino,  
cyanoguanidino, hydroxy, and halogen,

C<sub>3-7</sub> cycloalkyl

optionally substituted with one or more groups independently selected from  
the group consisting of C<sub>1-5</sub> alkyl or C<sub>1-5</sub> alkoxy which is optionally substituted  
with carboxy or alkyloxycarbonyl, cyano, nitro, amino, acylamino, alkylamino,  
carboxy, carbamoyl, alkylcarbamoyl, arylcarbamoyl, alkylsulfonylcarbamoyl,  
arylsulfonylcarbamoyl, alkyloxycarbonyl, tetrazolyl, isoxazolyl, isothiazolyl,  
alkylsulfonamido, arylsulfonamido, sulfonyl, alkylsulfonyl, arylsulfonyl,

sulfamoyl, alkylsulfamoyl, arylsulfamoyl, alkylsulfonamide, arylsulfonamide,  
alkylthio, acyl, acyloxy, hydrazino, hydroxyamino, amidino, guanidino,  
cyanoguanidino, hydroxy, and halogen,

and heterocycle;

provided that none of R<sub>1</sub>, R<sub>2</sub>, and R<sub>3</sub> bond together;

further provided that Ar is not 2-hydroxy-5-methoxyphenyl.

23. (Original) The compound according to claim 1 selected from the group consisting of:

N-Phenylcarbamoyl-N'-[2-(4-chlorophenyl)ethyl]-N'-ethyl-1,3-diaminopropane;

N-(4-Nitrophenylcarbamoyl-N'-[2-(4-chlorophenyl)ethyl]-N'-ethyl-1,3-diaminopropane;

N-(4-Bromophenylcarbamoyl-N'-[2-(4-chlorophenyl)ethyl]-N'-ethyl-1,3-

diaminopropane;

N-Phenylcarbamoyl-N'-[2-(4-chlorophenyl)ethyl]-N'-propyl-1,3-diaminopropane;

Methyl 4-[[3-(4-bromophenylureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]

butylate;

Methyl 4-[[3-(4-bromophenylureido)propyl][(1R)-1-phenylethyl]amino]butylate;

Methyl 4-[[3-(4-bromophenylureido)propyl][2-(4-chlorophenyl)ethyl]amino] butylate;

Methyl 4-[[4-(4-bromophenylureido)butyl](1,2,3,4-tetrahydro-1-naphthyl)amino]

butylate;

Methyl 4-[[5-(4-bromophenylureido)pentyl](1,2,3,4-tetrahydro-1-naphthyl)amino]

butylate;

Methyl 4-[[3-(4-methylphenylureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]

butylate;

Methyl 4-[[3-(3,4-dichlorophenylureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]

butylate;

4-[[3-(4-Bromophenylureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino] butanoic acid;

4-[[3-(4-Bromophenylureido)propyl][(1R)-1-phenylethyl]amino] butanoic acid;

4-[[4-(4-Bromophenylureido)butyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butanoic acid;

4-[[5-(4-Bromophenylureido)pentyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butanoic acid;

4-[[3-(4-Methylphenylureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butanoic acid;

4-[[3-(3,4-Dichlorophenylureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butanoic acid;

[3-(Phenylureido)propyl][2-(4-chlorophenyl)ethyl]diethylammonium iodide;

[3-(4-Bromophenylureido)propyl][2-(4-chlorophenyl)ethyl]diethylammonium iodide;

N-Phenylcarbamoyl-N'-[2-(4-chlorophenyl)ethyl]-N'-ethyl-2-hydroxy-1,3-diaminopropane;

4-[[3-(4-Chlorophenylthioureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butanoic acid;

4-[[3-(3-(4-Bromophenylureido)-3-(tert-butoxycarbonyl)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butanoic acid;

4-[[3-(4-Bromophenylureido)-2-hydroxypropyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butanoic acid;

4-[[3-(4-Chlorophenylureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butanoic;

Methyl 4-[[3-(4-bromophenylureido)propyl](1-indanyl)amino]butylate;

4-[[3-(4-Bromophenylureido)propyl](1-indanyl)amino]butanoic acid;

Methyl 4-[[3-(4-bromophenylureido)propyl][(1*R*)-1-indanyl]amino]butylate;

4-[[3-(4-Bromophenylureido)propyl][(1*R*)-1-indanyl]amino]butanoic acid;

Methyl 4-[[3-(4-bromophenylureido)propyl][(1*R*)-1,2,3,4-tetrahydro-1-naphthyl]amino]butylate;

4-[[3-(4-Bromophenylureido)propyl][(1*R*)-1,2,3,4-tetrahydro-1-naphthyl]amino]butanoic acid;

Ethyl 4-[[3-(4-bromophenylureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butylate;

4-[[3-(4-Bromophenylureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butanamide;

3-[[3-(4-Bromophenylureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]-1-[(phenylsulfonyl)carbamoyl]propane;

4-[[3-(4-Bromophenylureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]-1-butanol;



3-[[3-(4-Bromophenylureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]-1-[1-(triphenylmethyl)tetrazol-5-yl]propane;

3-[[3-(4-Bromophenylureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]-1-(1*H*-tetrazol-5-yl)propane;

















Methyl 4-[[3-[4-(carboxy)phenylureido]propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butylate;  
4-[[3-(4-Bromophenylureido)propyl][(1*R*)-1-(4-methoxyphenyl)ethyl]amino]butanoic acid;  
4-[[3-[4-(Ethoxycarbonyl)phenylureido]propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butanoic acid;  
4-[[3-(4-Iodophenylureido)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butanoic acid;  
4-[[3-[4-(Butoxycarbonyl)phenylureido]propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butanoic acid;  
[3-(Phenylureido)propyl]bis[2-(4-chlorophenyl)ethyl]amine;  
4-[[3-(4-Bromophenylureido)propyl][(1*R*)-1-(4-bromophenyl)ethyl]amino]butanoic acid;  
4-[[3-(4-Bromophenylureido)propyl][1-(4-fluorophenyl)ethyl]amino]butanoic acid;  
4-[[3-(4-Bromophenylureido)propyl][1-(4-chlorophenyl)ethyl]amino]butanoic acid;  
Methyl 4-[[3-(3-(4-bromophenylureido)-3-(tert-butoxycarbonyl)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butylate;  
Methyl 4-[[3-(3-(4-bromophenylureido)-3-(isopropylcarbamoyl)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butylate;  
Methyl 4-[[3-(3-(4-bromophenylureido)-3-(benzylcarbamoyl)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butylate;  
4-[[3-(3-(4-Bromophenylureido)-3-(isopropylcarbamoyl)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butanoic acid;  
4-[[3-(3-(4-Bromophenylureido)-3-(benzylcarbamoyl)propyl](1,2,3,4-tetrahydro-1-naphthyl)amino]butanoic acid;  
4-[[3-(4-Bromophenylthioureido)propyl][(1*R*)-1-indanyl]amino]butanoic acid;  
4-[[3-(4-Bromophenylthioureido)propyl][(1*R*)-1,2,3,4-tetrahydro-1-naphthyl]amino]butanoic acid;  
4-[[3-(4-Bromophenylureido)propyl][(1*S*)-1-(4-bromophenyl)ethyl]amino]butanoic acid;  
[3-(Phenylureido)propyl][2-(4-chlorophenyl)ethyl]bis(4-methylbenzyl)ammonium iodide;  
[3-(Phenylureido)propyl][2-(4-chlorophenyl)ethyl](4-chlorobenzyl)ethylammonium iodide;  
[3-(Phenylureido)propyl][2-(4-chlorophenyl)ethyl](benzyl)ethylammonium iodide;
























[3-(Phenylureido)propyl][2-(3-chlorophenyl)ethyl]diethylammonium iodide;  
 [3-(4-Bromophenylureido)propyl][(1*S*)-1-phenylethyl][3-(carboxy)propyl]ethylammonium trifluoroacetate;  
 [3-(4-Bromophenylureido)propyl][(1*R*)-1-phenylethyl][3-(carboxy)propyl]ethylammonium trifluoroacetate;  
 [3-(Phenylureido)propyl][2-(4-chlorophenyl)ethyl][4-(methoxycarbonyl)butyl]ethylammonium iodide;  
 [3-(Phenylureido)propyl][2-(4-chlorophenyl)ethyl][4-(carboxy)benzyl]ethylammonium iodide;  
 [5-(Phenylureido)pentyl][2-(4-chlorophenyl)ethyl]diethylammonium iodide;  
 [3-(Phenylureido)propyl][2-(4-chlorophenyl)ethyl](2-chlorobenzyl)ethylammonium iodide;  
 [3-(Phenylureido)propyl][2-(4-chlorophenyl)ethyl](2,5-difluorobenzyl)ethylammonium iodide;  
 [3-(Phenylureido)propyl][2-(4-chlorophenyl)ethyl](3-fluorobenzyl)ethylammonium iodide;  
 [3-(4-Cyanophenylureido)propyl][2-(3-chlorophenyl)ethyl][2-(2-methoxyethoxy)ethyl]ethylammonium iodide; and  
 [3-(4-Methoxyphenylureido)propyl][2-(3-chlorophenyl)ethyl][2-(2-methoxyethoxy)ethyl]ethylammonium iodide.



























24. (Previously presented) The compound according to claim 1, wherein the compound is defined below:














							
CPD No.	Ar	X	l	n	R1	R2	R10
1	phenyl	O	1	1	-(CH <sub>2</sub> ) <sub>2</sub> - 	ethyl	H
















2	4-nitrophenyl	O	1	1	$-(CH_2)_2-$ 	ethyl	H
3	4-bromophenyl	O	1	1	$-(CH_2)_2-$ 	ethyl	H
5	4-nitrophenyl	O	1	2	$-(CH_2)_2-$ 	ethyl	H
6	4-chlorophenyl	O	1	1	$-(CH_2)_2-$ 	ethyl	H
7	phenyl	O	1	2	$-(CH_2)_2-$ 	ethyl	H
8	phenyl	O	1	3	$-(CH_2)_2-$ 	ethyl	H
9	2-methoxy-phenyl	O	1	1	$-(CH_2)_2-$ 	ethyl	H
10	phenyl	O	1	1	$-(CH_2)_2-$ 	n-propyl	H
11	phenyl	O	1	1	$-(CH_2)_2-$ 	ethyl	H
12	phenyl	O	1	1	$-(CH_2)_2-$ 	$-\text{CH}_2-$ 	H
13	phenyl	O	1	1	$-(CH_2)_2-$ 	$-\text{CH}_2-$ 	H
14	phenyl	O	1	1	$-(CH_2)_2-$ 	n-butyl	H
15	phenyl	O	1	1	$-(CH_2)_2-$ 	$-\text{CH}_2-$ 	H














16	phenyl	O	1	1			H
17	phenyl	O	1	1			H
18	phenyl	O	1	1			H
19	phenyl	O	1	1			H
20	phenyl	O	1	1			H
21	phenyl	O	1	1			H
22	phenyl	O	1	1			H
23	phenyl	O	1	1			H
24	phenyl	O	1	1			H
25	phenyl	O	1	1			H
26	phenyl	O	1	1			H
27	phenyl	O	1	1		methyl	H

28	phenyl	O	1	1			H
29	4-bromophenyl	O	1	1			H
30	4-bromophenyl	O	1	1			H
31	4-bromophenyl	O	1	1			H
32	4-bromophenyl	O	1	2			H
33	4-bromophenyl	O	1	3			H
34	4-methylphenyl	O	1	1			H
35	3,4-dichloro-phenyl	O	1	1			H
36	4-bromophenyl	O	1	1			H
37	4-bromophenyl	O	1	1			H
38	4-bromophenyl	O	1	1			H
39	4-bromophenyl	O	1	1			H
40	4-bromophenyl	O	1	1			H

41	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
42	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
43	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
44	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
45	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
46	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
47	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
48	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
49	phenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
50	4-bromophenyl	O	1	0		$-(CH_2)_3CO_2Me$	H
51	3-chlorophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
52	3-methylphenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
53	4-chloro-3-(trifluoromethyl)phenyl	O	1	1		$-(CH_2)_3CO_2Me$	H






















54	2-biphenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
55	2,4-dimethoxy-phenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
56	phenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
57	4-methoxy-phenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
58	4-phenoxy-phenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
59	1-naphthyl	O	1	1		$-(CH_2)_3CO_2Me$	H
60	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
61	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
62	4-bromophenyl	O	1	2		$-(CH_2)_3CO_2H$	H
63	4-bromophenyl	O	1	3		$-(CH_2)_3CO_2H$	H
64	4-methylphenyl	O	1	1		$-(CH_2)_3CO_2H$	H
65	3,4-dichloro-phenyl	O	1	1		$-(CH_2)_3CO_2H$	H
66	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H



















67	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
68	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
69	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
70	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
71	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
72	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
73	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
74	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
75	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
76	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
77	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
78	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
79	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H




















80	phenyl	O	1	1		$-(CH_2)_3CO_2H$	H
82	3-chlorophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
83	3-methylphenyl	O	1	1		$-(CH_2)_3CO_2H$	H
84	4-chloro-3-(trifluoromethyl)phenyl	O	1	1		$-(CH_2)_3CO_2H$	H
85	2-biphenyl	O	1	1		$-(CH_2)_3CO_2H$	H
86	2,4-dimethoxyphenyl	O	1	1		$-(CH_2)_3CO_2H$	H
87	phenyl	O	1	1		$-(CH_2)_3CO_2H$	H
88	4-methoxyphenyl	O	1	1		$-(CH_2)_3CO_2H$	H
89	4-phenoxyphenyl	O	1	1		$-(CH_2)_3CO_2H$	H
90	1-naphthyl	O	1	1		$-(CH_2)_3CO_2H$	H
93	4-chloro-3-(trifluoromethyl)phenyl	O	1	1		ethyl	H
94	4-chloro-3-(trifluoromethyl)phenyl	O	1	1		$-(CH_2)_3SMe$	H
95	4-chloro-3-(trifluoromethyl)phenyl	O	1	1		$-CH_2CH(CH_3)_2$	H



























96	4-chloro-3-(trifluoromethyl)phenyl	O	1	1		-CH <sub>2</sub> CH(CH <sub>3</sub> ) <sub>2</sub>	H
97	4-chloro-3-(trifluoromethyl)phenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H	H
98	2-biphenyl	O	1	1			H
99	2-biphenyl	O	1	1		-(CH <sub>2</sub> ) <sub>2</sub> CH(CH <sub>3</sub> ) <sub>2</sub>	H
100	2-biphenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> SMe	H
101	2-biphenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H	H
102	2-biphenyl	O	1	1			H
103	2-biphenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> SMe	H
104	2-biphenyl	O	1	1		-CH <sub>2</sub> CH(CH <sub>3</sub> ) <sub>2</sub>	H
105	2-biphenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> SMe	H
106	2-biphenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> Me	H
107	2-biphenyl	O	1	1			H
108	2-biphenyl	O	1	1		-CH <sub>2</sub> CH(CH <sub>3</sub> ) <sub>2</sub>	H






























109	2-biphenyl	O	1	1			H
110	2-biphenyl	O	1	1			H
111	2-biphenyl	O	1	1		$-\text{CH}_2\text{CH}(\text{CH}_3)_2$	H
112	2-biphenyl	O	1	1			H
113	2-biphenyl	O	1	1		$-\text{CH}_2\text{CH}(\text{CH}_3)_2$	H
114	2-biphenyl	O	1	1			H
115	2-biphenyl	O	1	1			H
116	2-biphenyl	O	1	1			H
117	2-biphenyl	O	1	1		$-\text{CH}_2\text{CH}(\text{CH}_3)_2$	H
118	4-bromophenyl	O	1	1		$-\text{CH}_2\text{CH}(\text{CH}_3)_2$	H
119	4-bromophenyl	O	1	1		$-(\text{CH}_2)_2\text{CH}(\text{CH}_3)_2$	H
120	4-bromophenyl	O	1	1			H
121	4-bromophenyl	O	1	1		$-(\text{CH}_2)_2-\text{O}-\text{CH}_2-$ 	H
















122	4-bromophenyl	O	1	1		$-\text{CH}_2\text{CH}(\text{CH}_3)_2$	H
123	4-bromophenyl	O	1	1		$-(\text{CH}_2)_2-\text{O}-\text{CH}_2-$ 	H
124	4-bromophenyl	O	1	1		$-(\text{CH}_2)_3\text{SMe}$	H
125	4-bromophenyl	O	1	1		$-\text{CH}_2-$ 	H
126	4-bromophenyl	O	1	1	$-\text{CH}_2-$ 	$-\text{CH}_2\text{CH}(\text{CH}_3)_2$	H
127	4-bromophenyl	O	1	1	$-\text{CH}_2-$ 	$-(\text{CH}_2)_2-\text{O}-\text{CH}_2-$ 	H
128	4-bromophenyl	O	1	1	$-\text{CH}_2-$ 		H
129	4-bromophenyl	O	1	1	$-\text{CH}_2-$ 	$-\text{CH}_2\text{CH}(\text{CH}_3)_2$	H
130	4-bromophenyl	O	1	1	$-\text{CH}_2-$ 	$-(\text{CH}_2)_3\text{SMe}$	H
131	4-bromophenyl	O	1	1	$-\text{CH}_2-$ 	$-(\text{CH}_2)_2\text{CH}(\text{CH}_3)_2$	H
132	4-bromophenyl	O	1	1	$-(\text{CH}_2)_2-$ 	$-(\text{CH}_2)_3\text{CO}_2\text{H}$	H
133	4-bromophenyl	O	1	1	$-(\text{CH}_2)_2-$ 	$-(\text{CH}_2)_3\text{CO}_2\text{H}$	H
134	4-bromophenyl	O	1	1	$-(\text{CH}_2)_2-$ 		H















135	3-methylphenyl	O	1	1			H
136	3-methylphenyl	O	1	1		$-\text{CH}_2\text{CH}(\text{CH}_3)_2$	H
137	3-methylphenyl	O	1	1		ethyl	H
138	3-methylphenyl	O	1	1			H
139	3-methylphenyl	O	1	1		$-(\text{CH}_2)_3\text{SMe}$	H
140	3-methylphenyl	O	1	1		$-(\text{CH}_2)_3\text{CO}_2\text{H}$	H
141	3-methylphenyl	O	1	1		$-(\text{CH}_2)_3\text{SMe}$	H
142	3-methylphenyl	O	1	1		$-(\text{CH}_2)_3\text{SMe}$	H
143	3-methylphenyl	O	1	1			H
144	3-chlorophenyl	O	1	1			H
145	3-chlorophenyl	O	1	1		$-(\text{CH}_2)_2\text{CH}(\text{CH}_3)_2$	H
146	3-chlorophenyl	O	1	1			H
147	3-chlorophenyl	O	1	1			H

148	3-chlorophenyl	O	1	1			H
149	3-chlorophenyl	O	1	1			H
150	3-chlorophenyl	O	1	1			H
151	3-chlorophenyl	O	1	1			H
152	3-chlorophenyl	O	1	1			H
153	3-chlorophenyl	O	1	1			H
154	3-chlorophenyl	O	1	1			H
155	3-chlorophenyl	O	1	1			H
156	3-chlorophenyl	O	1	1			H
157	2,4-dimethoxyphenyl	O	1	1			H
158	2,4-dimethoxyphenyl	O	1	1			H
159	4-methoxyphenyl	O	1	1			H
160	3,4-dichlorophenyl	O	1	1			H


















161	1-naphthyl	O	1	1		$-(CH_2)_3CO_2H$	H
162	1-naphthyl	O	1	1		$-(CH_2)_3CO_2H$	H
163	phenyl	O	1	1		ethyl	OH
164	4-chlorophenyl	S	1	1		$-(CH_2)_3CO_2H$	H
165	4-bromophenyl	O	0	2		$-(CH_2)_3CO_2H$	
166	4-bromophenyl	O	0	2		$-(CH_2)_3CO_2H$	
167	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	OH
168	4-methoxy-phenyl	S	1	1		$-(CH_2)_3CO_2H$	H
169	4-benzyloxy-phenyl	S	1	1		$-(CH_2)_3CO_2H$	H
170	4-(trifluoro-methoxy)phenyl	S	1	1		$-(CH_2)_3CO_2H$	H
171	4-chlorophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
172	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H










173	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
174	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
175	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
176	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
177	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
178	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
179	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
180	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
181	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
182	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
183	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
184	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Et$	H
185	4-chlorophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
















186	4-bromophenyl	O	1	1		-CH <sub>2</sub> CO <sub>2</sub> H	H
187	4-fluorophenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> Me	H
188	4-fluorophenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H	H
189	2-bromophenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> Me	H
190	2-bromophenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H	H
191	4-bromophenyl	O	1	1		ethyl	H
192	phenyl	O	1	1		ethyl	H
193	4-bromophenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> CONH <sub>2</sub>	H
194	4-bromophenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> Me	H
195	4-bromophenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H	H
196	4-bromophenyl	O	1	1			H
197	4-bromophenyl	O	1	1			H
198	3-bromophenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> Me	H














199	3-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
200	4-bromo-2-methylphenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
201	4-bromo-2-methylphenyl	O	1	1		$-(CH_2)_3CO_2H$	H
202	4-bromophenyl	O	1	1		$-(CH_2)_4OCOCH_3$	H
203	4-bromophenyl	O	1	1		$-(CH_2)_4OH$	H
204	4-bromophenyl	O	1	1		$-(CH_2)_5OCOCH_3$	H
205	4-bromophenyl	O	1	1		$-(CH_2)_5OH$	H
206	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
207	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
208	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
209	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
210	4-bromophenyl	O	1	1			H
211	4-bromophenyl	O	1	1		$-(CH_2)_5CO_2H$	H




































212	4-bromophenyl	O	1	1			H
213	4-bromophenyl	O	1	1		$-(\text{CH}_2)_4\text{CO}_2\text{Me}$	H
214	4-bromophenyl	O	1	1		$-(\text{CH}_2)_4\text{CO}_2\text{H}$	H
215	4-bromophenyl	O	1	1		$-(\text{CH}_2)_3\text{OCOCH}_3$	H
216	4-bromophenyl	O	1	1		$-(\text{CH}_2)_3\text{OH}$	H
217	4-bromophenyl	O	1	1			H
218	4-bromophenyl	O	1	1			H
219	phenyl	O	1	1	$-(\text{CH}_2)_2$ - 	$-(\text{CH}_2)_3\text{OH}$	H
220	phenyl	O	1	1	$-(\text{CH}_2)_2$ - 	$-\text{CH}_2\text{CONH}_2$	H
221	phenyl	O	1	1	$-(\text{CH}_2)_2$ - 	$-\text{CH}_2\text{CH}=\text{CH}_2$	H
222	4-bromophenyl	O	1	1			H
223	4-bromophenyl	O	1	1		$-\text{CH}_2$ - 	H









224	4-bromophenyl	O	1	1		$-\text{CH}_2-\text{cyclopropyl}-\text{CO}_2\text{H}$	H
225	4-carboxy-phenyl	O	1	1		$-(\text{CH}_2)_3\text{CO}_2\text{Me}$	H
226	4-bromophenyl	O	1	1		$-(\text{CH}_2)_3\text{CO}_2\text{H}$	H
227	4-bromophenyl	O	1	1		$-(\text{CH}_2)_3\text{CO}_2\text{H}$	H
228	4-(ethoxy-carbonyl)phenyl	O	1	1		$-(\text{CH}_2)_3\text{CO}_2\text{H}$	H
229	4-iodophenyl	O	1	1		$-(\text{CH}_2)_3\text{CO}_2\text{H}$	H
230	phenyl	O	1	1	$-(\text{CH}_2)_2-\text{C}_6\text{H}_4-\text{F}$	ethyl	H
231	phenyl	O	1	1	$-(\text{CH}_2)_2-\text{C}_6\text{H}_4-\text{CH}_3$	ethyl	H
232	phenyl	O	1	1	$-(\text{CH}_2)_2-\text{C}_6\text{H}_3(\text{Cl})$	ethyl	H
233	phenyl	O	1	1	$-(\text{CH}_2)_2-\text{C}_6\text{H}_3(\text{Cl})$	ethyl	H
234	phenyl	O	1	1		ethyl	H
235	4-carboxy-phenyl	O	1	1		$-(\text{CH}_2)_3\text{CO}_2\text{H}$	H
236	3-(ethoxy-carbonyl)phenyl	O	1	1		$-(\text{CH}_2)_3\text{CO}_2\text{H}$	H






237	4-(n-butyloxy-carbonyl)phenyl	O	1	1		$-(CH_2)_3CO_2H$	H
238	phenyl	O	1	1	$-(CH_2)_2$ - 	$-(CH_2)_2$ - 	H
239	phenyl	O	1	1	$-(CH_2)_2$ - 	$-CH_2CH(CH_3)_2$	H
240	phenyl	O	1	1	$-(CH_2)_2$ - 	$-CH_2$ - 	H
241	phenyl	O	1	1	$-(CH_2)_2$ - 	$-(CH_2)_4CO_2Me$	H
242	phenyl	O	1	1	$-(CH_2)_2$ - 	$-(CH_2)_5CO_2Et$	H
243	phenyl	O	1	1	$-(CH_2)_2$ - 	$-(CH_2)_2CONH_2$	H
244	phenyl	O	1	1	$-(CH_2)_2$ - 	$-(CH_2)_2OCOCH_3$	H
245	phenyl	O	1	1	$-(CH_2)_2$ - 	$-CH_2CO_2Me$	H
246	4-bromophenyl	S	1	1		$-(CH_2)_3CO_2H$	H
247	3-bromophenyl	S	1	1		$-(CH_2)_3CO_2H$	H
248	3-chlorophenyl	S	1	1		$-(CH_2)_3CO_2H$	H
249	4-iodophenyl	S	1	1		$-(CH_2)_3CO_2H$	H



















250	4-methylphenyl	S	1	1		$-(CH_2)_3CO_2H$	H
251	3,4-dichloro-phenyl	S	1	1		$-(CH_2)_3CO_2H$	H
252	4-bromophenyl	S	1	1		$-(CH_2)_3CO_2Me$	H
253	3-bromophenyl	S	1	1		$-(CH_2)_3CO_2Me$	H
254	3-chlorophenyl	S	1	1		$-(CH_2)_3CO_2Me$	H
255	4-iodophenyl	S	1	1		$-(CH_2)_3CO_2Me$	H
256	3,4-dichloro-phenyl	S	1	1		$-(CH_2)_3CO_2Me$	H
257	4-fluorophenyl	S	1	1		$-(CH_2)_3CO_2H$	H
258	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
259	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
260	3-cyanophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
261	3-methoxy-phenyl	O	1	1		$-(CH_2)_3CO_2H$	H
262	3-acetylphenyl	O	1	1		$-(CH_2)_3CO_2H$	H

263	3-(methylthio)-phenyl	O	1	1		$-(CH_2)_3CO_2H$	H
264	4-methylthio-phenyl	O	1	1		$-(CH_2)_3CO_2H$	H
265	2-naphthyl	O	1	1		$-(CH_2)_3CO_2H$	H
266	4-(trifluoro-methoxy)phenyl	O	1	1		$-(CH_2)_3CO_2H$	H
267		O	1	1		$-(CH_2)_3CO_2H$	H
268	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
269	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
270	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
271	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
272	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
273	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H
274	phenyl	O	1	1		$-(CH_2)_3CO_2Me$	H
275	phenyl	O	1	1		$-(CH_2)_2OCH_3$	H
















276	phenyl	O	1	1		-CH(CH <sub>3</sub> ) <sub>2</sub>	H
277	4-biphenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H	H
278	4-acetylphenyl	O	1	1		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H	H
280	phenyl	O	1	1		-CH <sub>2</sub> - 	H
281	4-bromophenyl	O	0	2		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> Me	
282	4-bromophenyl	O	0	2		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> Me	
283	4-bromophenyl	O	0	2		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> Me	
284	4-bromophenyl	O	0	2		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H	
285	4-bromophenyl	O	0	2		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H	
286	4-bromophenyl	O	0	2		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H	
287	4-bromophenyl	O	0	2		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H	

























288	4-bromophenyl	S	1	1		$-(CH_2)_3CO_2H$	H
289	4-bromophenyl	S	1	1		$-(CH_2)_3CO_2H$	H
290	4-bromophenyl	S	1	1		$-(CH_2)_3CO_2H$	H
291	phenyl	O	1	1		$-CH_2-$ 	H
292	phenyl	O	1	1		$-CH_2-$ 	H
293	4-bromophenyl	O	1	1		$-(CH_2)_3CO_2H$	H

























							
CPD No.	Ar	X	m	R1	R2	R3	Y
91	phenyl	O	3		ethyl	ethyl	I
92	4-bromo-phenyl	O	3		ethyl	ethyl	I
294	4-bromo-phenyl	O	3		n-butyl	ethyl	I
295	4-bromo-phenyl	O	3		n-propyl	ethyl	I






















296	phenyl	O	3				Br
297	phenyl	O	3			ethyl	I
298	phenyl	O	3			ethyl	I
299	phenyl	O	3		$-(CH_2)_3OH$	ethyl	I
300	phenyl	O	3		$-CH_2CONH_2$	ethyl	I
301	phenyl	O	3		$-CH_2CH=CH_2$	ethyl	I
302	phenyl	O	3			ethyl	I
303	phenyl	O	3			ethyl	I
304	phenyl	O	3		ethyl	ethyl	I
305	phenyl	O	3		ethyl	ethyl	I
306	phenyl	O	3		ethyl	ethyl	I
307	phenyl	O	3		ethyl	ethyl	I



















308	phenyl	O	3		ethyl	ethyl	I
309	phenyl	O	3		ethyl	ethyl	I
310	phenyl	O	3		ethyl	ethyl	I
311	phenyl	O	3		ethyl	ethyl	I
312	4-bromo-phenyl	O	3		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> Me	ethyl	I
313	4-bromo-phenyl	O	3		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> Me	ethyl	I
314	4-bromo-phenyl	O	3		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> Me	ethyl	I
315	4-bromo-phenyl	O	3		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H	ethyl	CF <sub>3</sub> COO
316	4-bromo-phenyl	O	3		-(CH <sub>2</sub> ) <sub>3</sub> CO <sub>2</sub> H	ethyl	CF <sub>3</sub> COO
317	phenyl	O	3			ethyl	I
318	phenyl	O	3		-CH <sub>2</sub> CH(CH <sub>3</sub> ) <sub>2</sub>	ethyl	I
319	phenyl	O	3			ethyl	I
320	phenyl	O	3		-(CH <sub>2</sub> ) <sub>4</sub> CO <sub>2</sub> Me	ethyl	I














321	phenyl	O	3		$-(CH_2)_5CO_2Et$	ethyl	I
322	phenyl	O	3			ethyl	I
323	phenyl	O	5		ethyl	ethyl	I
324	4-methoxyphenyl	O	3			ethyl	I
325	3,4-dichlorophenyl	O	3			ethyl	I
326	4-cyano-phenyl	O	3			ethyl	I
327	phenyl	O	3			ethyl	I
328	phenyl	O	3			ethyl	I
329	phenyl	O	3			ethyl	I
330	phenyl	O	3			ethyl	I
331	phenyl	O	3			ethyl	I
332	phenyl	O	3			ethyl	I
333	phenyl	O	3			ethyl	I

334	phenyl	O	3			ethyl	I
335	4-bromo-phenyl	S	3		ethyl	ethyl	I
336	phenyl	S	3		ethyl	ethyl	I
337	phenyl	O	3			ethyl	I
338	phenyl	O	3			ethyl	I
339	phenyl	O	3			ethyl	I
340	phenyl	O	3			ethyl	I
341	phenyl	O	3			ethyl	I
342	phenyl	O	3			ethyl	I
343	phenyl	O	3			ethyl	I
344	phenyl	O	3			ethyl	I
345	phenyl	O	3			ethyl	I
346	phenyl	O	3			ethyl	I

347	phenyl	O	3			ethyl	I
348	phenyl	O	3			ethyl	I
349	phenyl	O	3			ethyl	I
350	phenyl	O	3			ethyl	I
351	phenyl	O	3			ethyl	I
352	phenyl	O	3			ethyl	I
353	phenyl	O	3			ethyl	I
354	phenyl	O	3			ethyl	I
355	3,4-dichloro-phenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
356	3,4-dichloro-phenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
357	3,4-dichloro-phenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
358	3,4-dichloro-phenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
359	3,4-dichloro-phenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I





















360	3,4-dichloro-phenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
361	3,4-dichloro-phenyl	O	3		$-CH_2-$	ethyl	I
362	3,4-dichloro-phenyl	O	3		$-CH_2-$	ethyl	I
363	3,4-dichloro-phenyl	O	3		$-CH_2-$	ethyl	I
364	3,4-dichloro-phenyl	O	3		$-CH_2-$	ethyl	I
365	3,4-dichloro-phenyl	O	3		$-CH_2-$	ethyl	I
366	3,4-dichloro-phenyl	O	3		$-CH_2-$	ethyl	I
367	3,4-dichloro-phenyl	O	3		$-CH_2-$	ethyl	I
368	3,4-dichloro-phenyl	O	3		$-CH_2-$	ethyl	I
369	3,4-dichloro-phenyl	O	3		$-(CH_2)_2F$	ethyl	I
370	3,4-dichloro-phenyl	O	3		$-(CH_2)_2F$	ethyl	I
371	3,4-dichloro-phenyl	O	3		$-(CH_2)_2F$	ethyl	I
372	4-bromo-phenyl	O	3		$-CH_2CN$	ethyl	I

















373	4-bromo-phenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
374	4-bromo-phenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
375	4-bromo-phenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
376	4-bromo-phenyl	O	3		$-CH_2-$ 	ethyl	I
377	4-bromo-phenyl	O	3		$-CH_2-$ 	ethyl	I
378	4-bromo-phenyl	O	3		$-CH_2-$ 	ethyl	I
379	4-bromo-phenyl	O	3		$-CH_2CH(CH_2CH_3)_2$	ethyl	I
380	4-bromo-phenyl	O	3		$-CH_2CH(CH_2CH_3)_2$	ethyl	I
381	4-bromo-phenyl	O	3		$-(CH_2)_2F$	ethyl	I
382	4-bromo-phenyl	O	3		$-(CH_2)_2F$	ethyl	I
383	4-bromo-phenyl	O	3		$-(CH_2)_2F$	ethyl	I
384	4-bromo-phenyl	O	3		$-(CH_2)_2F$	ethyl	I
385	4-bromo-phenyl	O	3		$-(CH_2)_2F$	ethyl	I

386	4-(trifluoromethyl)phenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
387	4-(trifluoromethyl)phenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
388	4-(trifluoromethyl)phenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
389	4-(trifluoromethyl)phenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
390	4-(trifluoromethyl)phenyl	O	3		$-CH_2-C(=CH_2)CH_3$	ethyl	I
391	4-(trifluoromethyl)phenyl	O	3		$-(CH_2)_2F$	ethyl	I
392	4-cyanophenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
393	4-cyanophenyl	O	3		$-(CH_2)_2CH(CH_3)_2$	ethyl	I
394	4-cyanophenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
395	4-cyanophenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
396	4-cyanophenyl	O	3		$-(CH_2)_2O(CH_2)_2OMe$	ethyl	I
397	4-cyanophenyl	O	3		$-CH_2-$ 	ethyl	I





398	4-cyano-phenyl	O	3			ethyl	I
399	4-cyano-phenyl	O	3			ethyl	I
400	4-cyano-phenyl	O	3			ethyl	I
401	4-cyano-phenyl	O	3			ethyl	I
402	4-cyano-phenyl	O	3		$-\text{CH}_2\text{CH}(\text{CH}_2\text{CH}_3)_2$	ethyl	I
403	4-cyano-phenyl	O	3		$-(\text{CH}_2)_2\text{F}$	ethyl	I
404	4-cyano-phenyl	O	3		$-(\text{CH}_2)_2\text{F}$	ethyl	I
405	4-cyano-phenyl	O	3		$-(\text{CH}_2)_2\text{F}$	ethyl	I
406	phenyl	O	3		$-(\text{CH}_2)_2\text{O}(\text{CH}_2)_2\text{OMe}$	ethyl	I
407	phenyl	O	3		$-(\text{CH}_2)_2\text{CH}(\text{CH}_3)_2$	ethyl	I
408	phenyl	O	3		$-(\text{CH}_2)_2\text{CH}(\text{CH}_3)_2$	ethyl	I
409	phenyl	O	3		$-\text{CH}_2\text{CONH}_2$	ethyl	I
410	phenyl	O	3		$-\text{CH}_2\text{CONH}_2$	ethyl	I



411	phenyl	O	3		-CH <sub>2</sub> CN	ethyl	I
412	phenyl	O	3		-(CH <sub>2</sub> ) <sub>2</sub> O(CH <sub>2</sub> ) <sub>2</sub> OMe	ethyl	I
413	phenyl	O	3		-(CH <sub>2</sub> ) <sub>2</sub> O(CH <sub>2</sub> ) <sub>2</sub> OMe	ethyl	I
414	phenyl	O	3		-(CH <sub>2</sub> ) <sub>2</sub> O(CH <sub>2</sub> ) <sub>2</sub> OMe	ethyl	I
415	phenyl	O	3		-(CH <sub>2</sub> ) <sub>2</sub> O(CH <sub>2</sub> ) <sub>2</sub> OMe	ethyl	I
416	phenyl	O	3		-(CH <sub>2</sub> ) <sub>2</sub> O(CH <sub>2</sub> ) <sub>2</sub> OMe	ethyl	I
417	phenyl	O	3		-CH <sub>2</sub> - 	ethyl	I
418	phenyl	O	3		-CH <sub>2</sub> - 	ethyl	I
419	phenyl	O	3		-CH <sub>2</sub> - 	ethyl	I
420	phenyl	O	3		-CH <sub>2</sub> - 	ethyl	I
421	phenyl	O	3		-CH <sub>2</sub> - 	ethyl	I
422	phenyl	O	3		-CH <sub>2</sub> - 	ethyl	I
423	phenyl	O	3		-CH <sub>2</sub> - 	ethyl	I

424	phenyl	O	3			ethyl	I
425	phenyl	O	3			ethyl	I
426	phenyl	O	3			ethyl	I
427	phenyl	O	3		$-\text{CH}_2\text{CH}(\text{CH}_2\text{CH}_3)_2$	ethyl	I
428	phenyl	O	3		$-\text{CH}_2\text{CH}(\text{CH}_2\text{CH}_3)_2$	ethyl	I
429	phenyl	O	3		$-\text{CH}_2\text{CH}(\text{CH}_2\text{CH}_3)_2$	ethyl	I
430	phenyl	O	3		$-\text{CH}_2\text{CH}(\text{CH}_2\text{CH}_3)_2$	ethyl	I
431	phenyl	O	3		$-\text{CH}_2\text{CH}(\text{CH}_2\text{CH}_3)_2$	ethyl	I
432	phenyl	O	3		$-(\text{CH}_2)_2\text{F}$	ethyl	I
433	phenyl	O	3		$-(\text{CH}_2)_2\text{F}$	ethyl	I
434	phenyl	O	3		$-(\text{CH}_2)_2\text{F}$	ethyl	I
435	4-methoxy-phenyl	O	3		$-(\text{CH}_2)_2\text{CH}(\text{CH}_3)_2$	ethyl	I
436	4-methoxy-phenyl	O	3		$-(\text{CH}_2)_2\text{CH}(\text{CH}_3)_2$	ethyl	I

437	4-methoxy-phenyl	O	3		-CH <sub>2</sub> CONH <sub>2</sub>	ethyl	I
438	4-methoxy-phenyl	O	3		-(CH <sub>2</sub> ) <sub>2</sub> O(CH <sub>2</sub> ) <sub>2</sub> OMe	ethyl	I
439	4-methoxy-phenyl	O	3		-(CH <sub>2</sub> ) <sub>2</sub> O(CH <sub>2</sub> ) <sub>2</sub> OMe	ethyl	I
440	4-methoxy-phenyl	O	3		-CH <sub>2</sub> -	ethyl	I
441	4-methoxy-phenyl	O	3		-CH <sub>2</sub> -	ethyl	I
442	4-methoxy-phenyl	O	3		-CH <sub>2</sub> -	ethyl	I
443	4-methoxy-phenyl	O	3		-CH <sub>2</sub> -	ethyl	I
444	4-methoxy-phenyl	O	3		-CH <sub>2</sub> -	ethyl	I
445	4-methoxy-phenyl	O	3		-CH <sub>2</sub> -	ethyl	I
446	4-methoxy-phenyl	O	3		-CH <sub>2</sub> -	ethyl	I
447	4-methoxy-phenyl	O	3		-CH <sub>2</sub> -	ethyl	I
448	4-methoxy-phenyl	O	3		-CH <sub>2</sub> CH(CH <sub>2</sub> CH <sub>3</sub> ) <sub>2</sub>	ethyl	I
449	4-methoxy-phenyl	O	3		-CH <sub>2</sub> CH(CH <sub>2</sub> CH <sub>3</sub> ) <sub>2</sub>	ethyl	I

450	4-methoxy-phenyl	O	3		$-\text{CH}_2\text{CH}(\text{CH}_2\text{CH}_3)_2$	ethyl	I
451	4-methoxy-phenyl	O	3		$-(\text{CH}_2)_2\text{F}$	ethyl	I
452	4-methoxy-phenyl	O	3		$-(\text{CH}_2)_2\text{F}$	ethyl	I
453	4-methoxy-phenyl	O	3		$-(\text{CH}_2)_2\text{F}$	ethyl	I

25. (Original) A pharmaceutical composition comprising a compound according to claim 1.

26. - 41. (Cancelled)